## Chapter 14 Problem 21 $^{\dagger}$

## Given

 $y = 1.3\cos(0.69x + 31t)$ 

x and y are in centimeters and t is in seconds.

## Solution

a) Find the amplitude of the wave.

The generic form for the displacement of a wave is

$$y = A\cos(kx + \omega t) \tag{1}$$

The A represents the amplitude. Therefore, by inspection the amplitude is 1.3 cm.

b) Find the wavelength of the wave.

In equation 1, k represents the wavenumber. The relationship between wavenumber and wavelength is

$$k = \frac{2\pi}{\lambda}$$

Solving for  $\lambda$  gives

$$\lambda = \frac{2\pi}{k} = \frac{2\pi}{(0.69 \ cm^{-1})} = 9.11 \ cm$$

The wavenumber had to have units of  $cm^{-1}$  in order to cancel out the units of x when they are multiplied together.

c) Find the period of the wave.

In equation 1,  $\omega$  represents the angular frequency. The relationship between angular frequency and time period is

$$\omega = \frac{2\pi}{T}$$

Solving for  $\omega$  gives

$$T = \frac{2\pi}{\omega} = \frac{2\pi}{(31\ s^{-1})} = 0.203\ s$$

d) Find the speed of the wave.

The speed of a wave is given by the relationship

$$v = \frac{\omega}{k} = \frac{31 \, s^{-1}}{0.69 \, cm^{-1}} = 44.9 \, cm/s$$

e) Find the direction of propagation.

Since the time dependent portion of the function is added, the wave is propagating towards the negative x direction.

<sup>&</sup>lt;sup>†</sup>Problem from Essential University Physics, Wolfson